



Safety Data Sheet

CleaRub 505

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.10.2022

Supersedes Date: 24.06.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Nasiol CleaRub 505
Product description Fine polishing compound.
Other means of Identification **UFI: Not applicable.**

1.2. Relevant identified uses of substance or mixture and uses advised against

Identified uses Automotive car care.
Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier Artekya Teknoloji Limited Şirketi
Ziyagokalp Mah. Heskop San. Sit. M10/189
34490 Basaksehir – İstanbul / TURKEY
Tel: +90 (212) 670 13 95
info@artekya.com

1.4. Emergency telephone number

Emergency telephone Artekya Tel: +90 (532) 769 44 27
+90 (212) 670 13 95

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards The product is not classified as physically hazardous.
Health hazards The product is not classified as hazardous for health.
Environmental hazards The product is not classified as environmentally hazardous.

2.2. Label elements

Precautionary statements P102 Keep out of reach of children.
Special labelling for certain mixtures EUH210 Safety data sheet available on request.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.
Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Substance Name | Identification Numbers | Classification | Concentration (wt%) |
|---|--|------------------------------|---------------------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics | CAS Number: 64742-48-9 EC Number: 918-481-9 | Asp. Tox. 1 – H304 EUH066 | 15 - <20% |
| white mineral oil (petroleum) | CAS Number: 8042-47-5 EC Number: 232-455-8 | Asp. Tox. 1; H304 | 1 - <5% |



Safety Data Sheet

CleaRub 505

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.10.2022

Supersedes Date: 24.06.2019

| | | | |
|---|--|--|---------|
| mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1) | CAS Number: 55965-84-9 EC Number: 611-341-5 | Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071 | < 0.1 % |
|---|--|--|---------|

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------|--|
| General information | No special measures are necessary. When in doubt or if symptoms are observed, get medical advice. |
| Inhalation | Provide fresh air. In case of respiratory tract irritation, consult a physician. |
| Ingestion | Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis. |
| Skin contact | After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse. |
| Eye contact | Rinse immediately carefully and thoroughly with eye-bath or water. |

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing | Foam. Dry extinguishing powder. Carbon dioxide (CO ₂). Water spray jet. Co-ordinate fire-fighting measures to the fire surroundings. |
| Unsuitable extinguishing media | Full water jet. |

5.2. Special hazards arising from the substance or mixture

| | |
|------------------|------------------------------------|
| Specific hazards | No special measures are necessary. |
|------------------|------------------------------------|

5.3. Advice for firefighters

| | |
|---------------------------|--|
| Protective actions during | Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to firefighting heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping |
|---------------------------|--|



Safety Data Sheet

CleaRub 505

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.10.2022

Supersedes Date: 24.06.2019

the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective Wear positive-pressure self-contained breathing apparatus (SCBA) and **equipment for firefighters** appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Provide adequate ventilation.

6.2. Environmental precautions

Environmental precautions

Immiscible with water. Spills may have hazardous effects on the environment. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Small spillages: Collect spillage. Large spillage: Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary. Minimum standard for preventive measures while handling with working materials are specified in the TGRS 500.



Safety Data Sheet

CleaRub 505

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.10.2022

Supersedes Date: 24.06.2019

Advice on protection against fire and explosion

No special fire protection measures are necessary. Only use the material in places where open light, fire and other flammable sources can be kept away.

Further information on handling

Take off contaminated clothing. Wash hands before breaks and after work. When using do not smoke, eat or drink. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapors/spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store away from incompatible materials (see Section 10). Store locked up. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.

Storage class

Chemical storage.

7.3. Specific end use(s)

Specific end use(s)

Automotive care products.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Exposure Limits (EH40)

| Substance Name | CAS No | ppm | mg/m ³ | Fibers/mL | Category | Origin |
|----------------------------------|-----------|-----|-------------------|-----------|----------|--------|
| Aluminum Oxides, respirable dust | 1344-28-1 | - | 4 | | TWA (8h) | WEL |
| Glycerol, mist | 56-81-5 | - | 10 | | TWA (8h) | WEL |

DNEL/DMEL values

| Substance Name | CAS No | Exposure Route | Effect | Value |
|---------------------------------|-----------|----------------|----------|-------------------------|
| white mineral oil (petroleum) | 8042-47-5 | | | |
| Consumer DNEL, long-term | | inhalation | systemic | 35 mg/m ³ |
| Consumer DNEL, long-term | | dermal | systemic | 93 mg/kg bw/day |
| Worker DNEL, long-term | | inhalation | systemic | 160 mg/m ³ |
| Worker DNEL, long-term | | dermal | systemic | 220 mg/kg bw/day |
| Consumer DNEL, long-term | | oral | systemic | 40 mg/kg bw/day |
| aluminum oxide | 1344-28-1 | | | |
| Consumer DNEL, long-term | | oral | systemic | 3.29 mg/kg bw/day |
| Worker DNEL, long-term | | inhalation | local | 15.63 mg/m ³ |
| glycerol | 56-81-5 | | | |



Safety Data Sheet

CleaRub 505

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.10.2022

Supersedes Date: 24.06.2019

| | | | |
|--------------------------|------------|----------|----------------------|
| Consumer DNEL, long-term | oral | systemic | 229 mg/kg bw/day |
| Worker DNEL, long-term | inhalation | local | 56 mg/m ³ |
| Consumer DNEL, long-term | inhalation | local | 33 mg/m ³ |

PNEC values

| Substance Name | CAS No | |
|--|------------------|--------------|
| Environmental compartment | | Value |
| aluminum oxide | 1344-28-1 | |
| Fresh water | | 0.0749 mg/L |
| Micro-organisms in sewage treatment plants (STP) | | 20 mg/L |
| glycerol | 56-81-5 | |
| Fresh water | | 0.885 mg/L |
| Marine water | | 0.00885 mg/L |
| Fresh water sediment | | 3.3 mg/kg |
| Marine sediment | | 0.33 mg/kg |
| Soil | | 0.141 mg/kg |

8.2. Exposure controls

Protective equipment



Appropriate engineering

Provide adequate ventilation. Personal, workplace environment or biological

controls

monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimize worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimize exposure.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection

Chemical resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands



Safety Data Sheet

CleaRub 505

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.10.2022

Supersedes Date: 24.06.2019

| | |
|--|---|
| | from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. |
| Other skin and body protection | Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible. |
| Hygiene measures | Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product. |
| Respiratory protection | Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140. |
| Environmental exposure controls | Keep container tightly sealed when not in use. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|---------------------------|
| Physical state | Viscous Liquid. |
| Colour | Whitish. |
| Odour | Characteristic. |
| Odour threshold | No information available. |
| pH | 8 |
| Melting point | No information available. |
| Initial boiling point and range | 100°C @4 mmHg. |
| Flash point | >61°C. |
| Evaporation rate | No information available. |
| Flammability (solid, gas) | Not applicable. |



Safety Data Sheet

CleaRub 505

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.10.2022

Supersedes Date: 24.06.2019

| | |
|--|-----------------------------------|
| Upper/lower flammability or explosive limits | 7% v/v (upper), 0.5% v/v (lower). |
| Vapor pressure | 0.6 hPa @20°C. |
| Vapor density | No information available. |
| Relative density | No information available. |
| Density | 1 g/cm ³ . |
| Partition coefficient n-octanol/water 20°C | Not applicable. |
| Solubility(ies) | Completely miscible with water. |
| Partition coefficient | No information available. |
| Auto-ignition temperature | >200°C. |
| Decomposition temperature | No information available. |
| Viscosity | 25000-30000 mPa.s |
| Explosive properties | No information available. |
| Oxidizing properties | Not available. |
| Solvent content | 20.50 % |
| Particle characteristics | Not applicable. |

9.2. Other information

Information with regard to physical hazard classes

| | |
|--------------------------------------|-----------------|
| Explosives | Not applicable. |
| Oxidizing properties | Not applicable. |
| Self-heating substances and mixtures | Not applicable. |
| Corrosion to metals | Not applicable. |

Other safety characteristics

| | |
|-------------------|-----------------|
| SAPT-temperature | Not applicable. |
| Surface tension | Not applicable. |
| Refraction index: | Not applicable. |

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|------------|--|
| Reactivity | No hazardous reaction when handled and stored according to provisions. |
|------------|--|

10.2. Chemical Stability

| | |
|-----------|---|
| Stability | Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions. |
|-----------|---|

10.3. Possibility of hazardous reactions

| | |
|------------------------------------|---|
| Possibility of hazardous reactions | No potentially hazardous reactions known. |
|------------------------------------|---|



Safety Data Sheet

CleaRub 505

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.10.2022

Supersedes Date: 24.06.2019

10.4. Conditions to avoid

Conditions to avoid

Avoid heat. Containers can burst violently or explode when heated, due to excessive pressure build-up.

10.5. Incompatible materials

Materials to avoid

Strong acid. Strong alkali. Highly oxidizing substances.

10.6. Hazardous decomposition products

Hazardous decomposition

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

| Substance Name | Exposure Route | Dose | Species |
|--|----------------------|------------------------------|---------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics | Oral | LD50 > 5000 mg/kg (OECD 401) | Rat |
| | Dermal | LD50 > 2000 mg/kg (OECD 402) | Rabbit |
| | Inhalation(4h) Vapor | LC50 > 9,3 mg/L (OECD 403) | Rat |
| white mineral oil (petroleum) | Oral | LD50 > 5000 mg/kg (OECD 401) | Rat |
| | Dermal | LD50 > 2000 mg/kg (OECD 402) | Rabbit |
| | Inhalation(4h) Vapor | LC50 > 5,09 mg/L (OECD 403) | Rat |
| mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1). | Oral | LD50 66 mg/kg | Rat |
| | Dermal | LD50 >141 mg/kg | |
| | Inhalation(4h) Vapor | ATE 0,5 mg/L | |
| | Inhalation aerosol | ATE 0,05 mg/L | |

Skin corrosion/irritation

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory sensitization

Respiratory sensitization

Based on available data the classification criteria are not met.

Skin sensitization

Skin sensitization

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity – in vitro

Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity

Based on available data the classification criteria are not met.



Safety Data Sheet

CleaRub 505

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.10.2022

Supersedes Date: 24.06.2019

| | |
|--|--|
| IARC carcinogenicity | None of the ingredients are listed or exempt. |
| <u>Reproductive toxicity</u> | |
| Reproductive toxicity - fertility | Based on available data the classification criteria are not met. |
| Reproductive toxicity - development | Based on available data the classification criteria are not met. |
| <u>Specific target organ toxicity – single exposure</u> | |
| STOT – single exposure | Based on available data the classification criteria are not met. |
| <u>Specific target organ toxicity – repeated exposure</u> | |
| STOT – repeated exposure | Based on available data the classification criteria are not met. |
| <u>Aspiration hazard</u> | |
| Aspiration hazard | Based on available data the classification criteria are not met. |

11.2. Information on other hazards

| | |
|--|--|
| Endocrine disrupting properties | The product does not contain a substance that is considered to have endocrine disrupting properties. |
|--|--|

SECTION 12: Ecological information

| | |
|--------------------|--|
| Ecotoxicity | Based on available data the classification criteria are not met. |
|--------------------|--|

12.1. Toxicity

Toxicity

| Substance Name | Exposure Route | Dose |
|--|------------------------------|--------------------------------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics | Acute fish toxicity | LC50 > 1000 mg/l (OECD 203) |
| | Acute algae toxicity | ErC50 > 1000 mg/l (OECD 201) |
| | Acute invertebrates toxicity | EC50 > 1000 mg/l (OECD 202) |
| white mineral oil (petroleum) | Acute fish toxicity | LL50 > 1000 mg/l (OECD 203) |
| | Acute algae toxicity | ErC50 > 100 mg/l (OECD 201) |
| | Acute crustacea toxicity | EL50 > 100 mg/l (OECD 202) |
| | Algae toxicity | NOEC50 >= 100 mg/l (OECD 201) |
| mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1). | Acute fish toxicity | LC50 0,22 mg/kg (OECD 201) |
| | Acute algae toxicity | ErC50 > 0,048mg/kg (OECD 201) |
| | Acute crustacea toxicity | EC50 > 0,1 mg/l (OECD 202) |
| | Fish toxicity | NOEC50 >= 0,098mg/l (OECD 201) |



Safety Data Sheet

CleaRub 505

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.10.2022

Supersedes Date: 24.06.2019

| | | |
|--|-------------------------|--------------------------------------|
| | Algae toxicity | NOEC50 \geq 0,0012 mg/l (OECD 201) |
| | Crustacea toxicity | NOEC50 \geq 0,004 mg/l (OECD 211) |
| | Acute bacteria toxicity | 7,92 mg/l (OECD 209) |

12.2. Persistence and degradability

| CAS No | Chemical name | | | |
|------------|---|-------|----|--------|
| | Method | Value | d | Source |
| | Evaluation | | | |
| | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics | | | |
| | OECD 301 F | 80% | 28 | ECHA |
| | Readily biodegradable (according to OECD criteria). | | | |
| 8042-47-5 | white mineral oil (petroleum) | | | |
| | OECD 301F | 31 % | 28 | ECHA |
| | Not readily biodegradable (according to OECD criteria) | | | |
| 55965-84-9 | mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1) | | | |
| | OECD 301 A | >70 % | 28 | Thor |
| | Readily biodegradable (according to OECD criteria). | | | |
| | OECD 301 D | >60% | | Thor |
| | Readily biodegradable (according to OECD criteria). | | | |

12.3. Bioaccumulative potential

Bioaccumulative potential The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|---------------------------------|---------|
| 8042-47-5 | white mineral oil (petroleum) | >4 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|---|------|---------|----------------|
| 55965-84-9 | mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1) | 3,16 | | EPIWIN, S 1177 |

12.4. Mobility in soil

Mobility The product has not been tested.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.



Safety Data Sheet

CleaRub 505

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.10.2022

Supersedes Date: 24.06.2019

12.6. Endocrine disrupting properties

| | |
|--|--|
| Endocrine disrupting properties | The product does not contain a substance that is considered to have endocrine disrupting properties. |
|--|--|

12.7. Other adverse effects

| | |
|------------------------------|-------------|
| Other adverse effects | None known. |
|------------------------------|-------------|

SECTION 13: Disposal consideration

13.1. Waste treatment methods

General information

The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers on liners may retain some product residues and hence be potentially hazardous.

Disposal methods

Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN Number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

| | |
|---|-----|
| Environmentally hazardous substance/marine product | No. |
|---|-----|

14.6. Special precautions for user

Not applicable.



Safety Data Sheet

CleaRub 505

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.10.2022

Supersedes Date: 24.06.2019

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class (D): 1 - slightly hazardous to water

EU regulatory information

2010/75/EU (VOC): 13.5% (135 g/L)
2004/42/EC (VOC): 13.505% (121.054 g/L)

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms used in this safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
IATA: International Air Transport Association.
ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IMDG: International Maritime Code for Dangerous Goods.
CAS: Chemical Abstracts Service.
ATE: Acute Toxicity Estimate.
LC₅₀: Lethal Concentration to 50% of a test population.
LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
EC₅₀: 50% of maximal Effective Concentration.
IC₅₀: Half maximal Inhibitory Concentration.
PBT: Persistent, Bioaccumulative and Toxic substance.
vPvB: Very Persistent and Very Bioaccumulative.

Chemical abbreviations and acronyms

Asp. Tox. = Aspiration hazard



Safety Data Sheet

CleaRub 505

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.10.2022

Supersedes Date: 24.06.2019

| | |
|---|--|
| General information | Only trained personnel should use this material. |
| Key literature references and sources for data | Source: European Chemical Agency, http://echa.europa.eu/ |
| Training advice | Read and follow manufacturer's recommendations. Only trained personnel should use this material. |
| Revision comments | Revised according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 |
| Issued by | R&D Department / Artekya Teknoloji Limited Şirketi |
| Revision date | 24.10.2022 |
| Revision | 0.2 |
| Supersedes date | 24/06/2019 |

Hazard statements in full

H301 Toxic if swallowed.
H304 May be fatal if swallowed and enters airways.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
EUH066 Repeated exposure may cause skin dryness or cracking.
EUH071 Corrosive to the respiratory tract.
EUH208 Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1). May produce an allergic reaction.
EUH210 Safety data sheet available on request.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.