Safety Data Sheet

CabinCare

New Formula

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.11.2022 Supersedes Date: 04.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name
Product description
Other means of
Nasiol CabinCare New Formula
Textile Nano Coating Solution
UFI: WGMD-GUG8-6G08-16QS

identification

1.2. Relevant identified uses of substance or mixture and uses advised against

Identified usesTextile surface protection for vehicle seats and interior fabric.

Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

Supplier Artekya Teknoloji Limited Şirketi

Ziyagokalp Mah. Heskop San. Sit. M10/189 34490 Basaksehir – Istanbul / TURKEY

Tel: +90 (212) 670 13 95 info@artekya.com

1.4. Emergency telephone number

Emergency telephone +90 (532) 769 44 27

+90 (212) 670 13 95

ECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazardsNot classifiedHealth hazardsAsp. Tox. 1 – H304

Eye Irrit. 2 – H319 STOT SE – H336 Not classified

Environmental hazards

2.2. Label elements

Pictogram





Signal word Danger

Hazard statements H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

Precautionary statements P264 Wash... thoroughly after handling

P280 Wear protective clothing, gloves, eye and face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337+P313 If eye irritation persists: Get medical advice/ attention.

Safety Data Sheet

CabinCare

New Formula

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.11.2022 Supersedes Date: 04.11.2022

P501 Dispose of contents/container in accordance with national

regulations.

Contains Distillates (petroleum), hydrotreated light; 2-propanol.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance Name	Identification Numbers	Classification	Concentration (wt%)
Distillates (Petroleum), Hydrotreated Light	CAS Number: 64742-47-8 EC Number: 265-149-8	Asp. Tox. 1 – H304	>50-85
2-propanol	CAS Number: 67-63-0 EC Number: 603-117-0	Eye Irrit. 2 – H319 STOT SE 3 – H336	>2-5

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General Information	Get medical	I attention immed	iately. Show	this Safety Data Sheet t	0
---------------------	-------------	-------------------	--------------	--------------------------	---

the medical personnel.

Inhalation Remove affected person from source of contamination. Move

affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the

recovery position and ensure breathing can take place.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting unless

under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing

can take place.

Skin contact Wash skin thoroughly with soap and water or use an approved skin

cleanser. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

Get medical attention if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses

and open eyelids wide apart. Continue to rinse for at least 10 minutes.

Safety Data Sheet

CabinCare

New Formula

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.11.2022 Supersedes Date: 04.11.2022

Protection of first aiders First aid personnel should wear appropriate protective equipment

during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information See Section 11 for additional information of health hazards. The

severity of the symptoms described will vary dependent on the

concentration and the length of exposure.

Inhalation Prolonged inhalation of high concentrations may damage respiratory

system.

Ingestion Gastrointestinal symptoms, including upset stomach. Fumes from

the stomach contents may be inhaled, resulting in the same symptoms as inhalation. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical

pneumonitis.

Skin contact May cause an allergic skin reaction.

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing The product is not flammable. Extinguish with foam, carbon dioxide,

media dry powder or media water fog.

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire.

media

5.2. Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to

excessive pressure build-up.

Hazardous combustion Thermal decomposition or combustion products may include the

following products substances: Harmful gases or vapors.

5.3. Advice for firefighters

Protective actions during Avoid breathing fire gases or vapors. Evacuate area. Cool containers

firefighting

exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate

authorities.

Special protective Wear positive-pressure self-contained breathing apparatus (SCBA) **equipment for firefighters** and appropriate protective clothing. Firefighter's clothing

and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,

Artekya

Safety Data Sheet

CabinCare

New Formula

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.11.2022 Supersedes Date: 04.11.2022

protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Provide adequate ventilation.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Small spillages: Collect spillage. Large spillage: Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Avoid contact with skin. Take precautionary measures against static discharge.

Wash promptly if skip becomes contaminated. Take off

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

NASIOL

Safety Data Sheet

CabinCare

New Formula

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.11.2022 Supersedes Date: 04.11.2022

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store away from incompatible materials (see Section 10). Store locked up. Keep only in the original container. Keep container tightly closed, in a cool, well-ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent. Use containers made of the following materials: Teflon Polyethylene. Carbon steel. PP; Polypropylene. Unsuitable container materials: PS; Polystyrene. Rubber. EPDM; Ethylene Propylene Diene Monomer.

Storage class

Chemical storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses of this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Ingredient comments

8.2. Exposure controls

Protective equipment

No exposure limits known for ingredient(s).







Appropriate engineering controls

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimize worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimize exposure.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Safety Data Sheet

CabinCare

New Formula

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.11.2022 Supersedes Date: 04.11.2022

Hand protection

Chemical resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

Other skin and body

protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment

indicates skin contamination is possible.

Hygiene measures

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product. Respiratory protection complying with an approved standard should

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with

European Standard EN140.

Environmental exposure

controls

Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.
Colour Colourless
Odour Characteristic

Odour threshold No information available.

pH 5-6

Safety Data Sheet

CabinCare

New Formula

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.11.2022 Supersedes Date: 04.11.2022

Melting point -88°C

Initial boiling point and 78°C @4 mmHg.

range

Flash point 63°C. Evaporation rate >3

Flammability (solid, gas) Not applicable.

Upper/lower flammability No information available.

or explosive limits

Vapor pressure 1 kPa Vapor density >1.54

Relative density No information available.

Density 0.80 g/cm³. **Partition coefficient n**- Not applicable.

octanol/water 20°C

Solubility(ies) Immiscible with water.

Partition coefficient No information available.

Auto-ignition 352°C

temperature

Decomposition No information available.

temperature

Viscosity No information available. Explosive properties No information available.

Oxidizing properties Not available.

Particle Not applicable.

characteristics

9.2. Other information

Information with regard to physical hazard classes

Explosives Not applicable.

Oxidizing properties Not applicable.

Self-heating Not applicable.

substances and

mixtures

Corrosion to metals Not applicable.

Other safety characteristics

SAPT-temperature Not applicable.
Surface tension Not applicable.
Refraction index: Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity See the other subsections of this section for further details

Safety Data Sheet

CabinCare

New Formula

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.11.2022 Supersedes Date: 04.11.2022

10.2. Chemical Stability

Stability Stable at normal ambient temperatures and when used as

recommended. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

No potentially hazardous reactions known.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid heat. Containers can burst violently or explode when heated,

due to excessive pressure build-up.

10.5. Incompatible materials

Materials to avoid Oxidizing materials. Acids-oxidising. Alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases and vapors. Organic amine

vapors.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Substance Name	Exposure Route	Dose	Species
Distillates	Oral	LD50 > 5000 mg/kg (OECD 401)	Rat
(petroleum),	Dermal	LD50 > 2000 mg/kg (OECD 402)	Rat
hydrotreated light	Inhalation (4h) Vapor	LC50 > 5000 mg/m ³ (OECD 403)	Rat
2-propanol	Oral	LD50 5045 mg/kg	Rat
	Dermal	LD50 12800 mg/kg	Rabbit
	Inhalation (4h) Vapor	LC50 37,5 mg/L (OECD 403)	Rat

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye Causes serious eye irritation.

damage/irritation

Respiratory sensitization

Respiratory sensitization Based on available data the classification criteria are not met.

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity – in vitroBased on available data the classification criteria are not met.

Carciogenicity

Carciogenicity Based on available data the classification criteria are not met.

Safety Data Sheet

CabinCare

New Formula

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.11.2022 Supersedes Date: 04.11.2022

IARC carcinogenicity Contains a substance / a group of substances which may cause

cancer. IARC Group 1 Carcinogenic to humans.

Reproductive toxicity

Reproductive toxicity -

fertility

Based on available data the classification criteria are not met.

Reproductive toxicity -

Based on available data the classification criteria are not met.

development

Specific target organ toxicity – single exposure

STOT – single exposure Inhalation, Oral – May cause drowsiness and dizziness.

Acute inhalation toxicity - Central nervous system.

Specific target organ toxicity - repeated exposure

STOT – repeated Not classified as a specific target organ toxicant after a single

exposure exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting The product does not contain a substance that is considered to have

properties endocrine disrupting properties.

SECTION 12: Ecological information

Ecotoxicity The product components are not classified as environmentally

hazardous. However, large or frequent spills may have hazardous

effects on the environment.

12.1. Toxicity

Substance Name	Aquatic Toxicity	Dose
Distillates (petroleum),	Acute fish toxicity	LC/IC/EC50 > 9800 mg/l
hydrotreated light	Acute algae toxicity	LC/IC/EC50 > 9800 mg/l
	Acute invertebrates toxicity	LC/IC/EC50 > 9800 mg/l
2-propanol	Acute fish toxicity	LC50 9640 mg/l / 96 h
	Acute algae toxicity	IC50 1000 mg/l / 72 h
	Acute invertebrates toxicity	EC50 13299 mg/l / 48 h
	Acute bacteria toxicity	EC5 1050 mg/l / 16 h

12.2. Persistance and degradability

Persistance and The product is biodegradable.

degradability

12.3. Bioaccumulative potential

Bioaccumulative potential Bioaccumulation is unlikely. Partition coefficient No information available.

NASIOL

Safety Data Sheet

CabinCare

New Formula

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.11.2022 Supersedes Date: 04.11.2022

12.4. Mobility in soil

Mobility The product is immiscible with water and will spread on the water

surface. Volatile liquid. The product contains organic solvents which

will evaporate easily from all surfaces.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current

assessment EU criteria.

12.6. Endocrine disrupting properties

Endocrine disrupting The product does not contain a substance that is considered to

properties have endocrine disrupting properties.

12.7. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal consideration

13.1. Waste treatment methods

General information The generation of waste should be minimized or avoided wherever

possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers on liners may retain some product

residues and hence be potentially hazardous.

Disposal methodsDo not empty into drains. Dispose of surplus products and those that

cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should

only be considered when recycling is not feasible.

SECTION 14: Transport information

General The product is not covered by international regulations on the

transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN Number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

No transport warning sign required.

Safety Data Sheet

CabinCare

New Formula

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.11.2022 Supersedes Date: 04.11.2022

14.4. Packing group

Not applicable

14.5. Environmental hazards

Environmentally hazardous No substance/ marine product

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended). The Carriage

of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits.

EU legislation Commission Regulation (EU) 2015/830 of 28 May 2015 amending

Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction

of Chemicals (REACH)

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) (as

amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008, CLP

Authorizations (Title VII

Regulation 1907/2006)

No specific authorizations are known for this product.

Restrictions (Title VII Regulation 1907/2006)

No specific restrictions on use are known for this product.

Regulation 130772000)

Seveso Directive - Control P5c Lower-tier 5000 tonnes Upper tier 50000 tonnes.

of major accident hazards

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in this

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

safety data sheet ADN: European Agreement concerning the International Carriage of

Dangerous Goods by Inland Waterways.



Safety Data Sheet

CabinCare

New Formula

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision Date: 24.11.2022 Supersedes Date: 04.11.2022

RID: European Agreement concerning the International Carriage of

Dangerous Goods by Rail.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous

Goods by Air.

IMDG: International Maritime Code for Dangerous Goods.

CAS: Chemical Abstracts Service.
ATE: Acute Toxicity Estimate.

LC50: Lethal Concentration to 50% of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC50: 50% of maximal Effective Concentration. IC50: Half maximal Inhibitory Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Verp Persistent and Very Bioaccumulative.

Chemical abbreviations

and acronyms

Asp Tox = Aspiration hazard

Eye Irrit. = Eye irritation STOT SE = Specific target organ toxicity upon single exposure

Only trained personnel should use this material.

Key literature references

and sources for data

General information

Source: European Chemical Agency, http://echa.europa.eu/

Training advice Read and follow manufacturer's recommendations. Only trained

personnel should use this material.

Revision comments Revised according to the REACH Regulation (EC) 1907/2006

amended by Regulation (EU) 2020/878

Issued by R&D Department / Artekya Teknoloji Limited Şirketi

Revision date 24.11.2022

Revision 0.2

Supersedes date 04.11.2022

Hazard statements in full H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

